



Power Flux

| P/N | Dimensions(mm) | | | | | | Path Length (cm) | Cross section Area(cm ²) | AL value (nH/n ²)±12% | | | | |
|---------|----------------|----|------|--------|------|------|------------------|--------------------------------------|-----------------------------------|--------|--------|--------|--------|
| | A | B | C | D(min) | E | F | | | 26μ, B | 40μ, J | 60μ, C | 75μ, D | 90μ, E |
| 2014 EQ | 20.5 | 14 | 8.1 | 8.8 | 18 | 5.7 | 4.52 | 0.608 | 44 | 68 | 101 | | |
| 2014 EQ | 20.5 | 14 | 10.1 | 8.8 | 18 | 7.7 | 5.32 | 0.608 | 37 | 57 | 86 | | |
| 2619 EQ | 26.5 | 19 | 10.1 | 12 | 22.6 | 6.8 | 5.47 | 1.198 | 72 | 110 | 165 | | |
| 2619 EQ | 26.5 | 19 | 12.4 | 12 | 22.6 | 9.1 | 6.39 | 1.198 | 61 | 94 | 141 | | |
| 3222 EQ | 32 | 22 | 10.3 | 13.5 | 27.6 | 6.6 | 6.03 | 1.523 | 83 | 127 | 190 | | |
| 3222 EQ | 32 | 22 | 15.2 | 13.5 | 27.6 | 11.5 | 7.99 | 1.523 | 62 | 96 | 144 | | |
| 3626 EQ | 36 | 26 | 17.4 | 14.4 | 32 | 13.4 | 9.47 | 1.808 | 62 | 96 | 144 | | |
| 3626 EQ | 36 | 26 | 17.4 | 14.4 | 32 | 13.4 | 9.47 | 1.808 | 57 | 88 | 132 | | |
| 4128 EQ | 41.5 | 28 | 19.9 | 14.9 | 36.5 | 15.4 | 11.52 | 1.997 | 68 | 105 | 157 | | |
| 4128 EQ | 41.5 | 28 | 19.9 | 14.9 | 36.5 | 15.4 | 11.52 | 1.997 | 57 | 87 | 131 | | |
| 5032 EQ | 50 | 32 | 25 | 20 | 44 | 19.5 | 13.34 | 3.141 | 90 | 139 | 208 | | |
| 5032 EQ | 50 | 32 | 25 | 20 | 44 | 19.5 | 13.34 | 3.141 | 77 | 118 | 178 | | |